



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO GENERA, SPECIES, ETC., DESCRIBED AND REFERRED TO IN THE PROCEEDINGS FOR 1916.

*Species described as new are indicated by heavy-faced, synonyms by
italic numerals.*

<i>Abrealia astrolineata</i>	47, 58	<i>Ameira festiva</i>	400, 406
<i>Abrealiopsis astrolineata</i>	45	<i>ruthveni</i>	406
<i>hoylei</i>	58	<i>undulata quadrilineata</i>	400
<i>sp.</i>	46, 47, 58	<i>ameiva præsignis</i>	408
<i>Abudefduf declivifrons</i>	410	<i>Amphitretus pelagicus</i>	47, 48
<i>mauritii</i>	405, 410	<i>Anableps anableps</i>	439
<i>Acara cæruleopunctata</i>	406, 410	<i>dowei</i>	439
<i>Acmæa fragilis</i>	482	<i>microlepis</i>	439
<i>Acridium clavuliger</i>	251	<i>Anaxipha</i>	300-302
<i>coloratum</i>	194	<i>exigua</i>	300, 302-304, 306
<i>Acrosoma gracilis</i>	78	<i>pulicaria</i>	110, 300, 301, 303-305
<i>rugosa</i>	78	<i>vittata</i>	110, 304, 306
<i>Acrydium arenosum angustum</i> , 106,		<i>Anchovia gilberti</i>	401
133, 134		<i>Andrena alamonis</i>	599
<i>a. arenosum</i>	106, 133, 134, 147	<i>austrocalifornica</i>	587
<i>blatchleyi</i>	133	<i>azygos</i>	550
<i>dasynotum</i>	138	<i>caliginosa</i>	552
<i>gibbosus</i>	134	<i>candida tramoserica</i>	553
<i>kraussi</i>	138	<i>complicata</i>	554
<i>obscurum</i>	133, 134	<i>cristata</i>	556
<i>ornatum</i>	106, 135	<i>francisca</i>	595
<i>paradoxa</i>	138	<i>friesei</i>	558
<i>virunganum</i>	138	<i>inclinata</i>	559
<i>Adinia multifasciata</i>	426	<i>jennei</i>	561
<i>Admetina tibialis</i>	83	<i>littlefieldi</i>	563
<i>wheeleri</i>	83	<i>lummiorum</i>	564
<i>Agriolimax campestris</i>	327	<i>marioides</i>	601
<i>Agroeca ornata</i>	70	<i>mendosa</i>	588
<i>repens</i>	70	<i>monogonoparia</i>	566
<i>Albula vulpes</i>	397	<i>nortoni</i>	602
<i>Alfaro cultratus</i>	389	<i>umbilifascia</i>	597
<i>Alphesthes multiguttatus</i>	409	<i>obscuripostica</i>	568
<i>Amalopsis</i>	539	<i>olivacea</i>	590
<i>Amaurobius bennetti</i>	71	<i>pediculihirta</i>	598
<i>silvestris</i>	71	<i>perchalybia</i>	591
<i>Amblycorypha floridana carinata</i> , 108,		<i>pulverea</i>	569
255		<i>quintiliformis</i>	606
<i>floridana floridana</i>	108, 255	<i>sancta</i>	571
<i>oblongifolia</i>	108, 255	<i>scutellinitens</i>	573
<i>rotundifolia parvipennis</i>	108, 256	<i>semifulva</i>	575
<i>r. rotundifolia</i>	108, 256	<i>strictigastera</i>	579
<i>uhleri</i>	108, 256	<i>sola</i>	577
<i>Amblyopsis speleus</i>	439	<i>subchalybea</i>	593
<i>Amblytropidia occidentalis</i>	106, 160	<i>submœsta</i>	594

<i>Andrena subnigripes</i>	581	<i>Atlanticus davisii</i>	109, 268
<i>tæniata</i>	583	<i>dorsalis</i>	109, 268, 268
<i>yumorum</i>	585	<i>gibbosus</i>	109, 268
<i>Anisolabis annulipes</i>	105, 111	<i>monticola</i>	109, 268
<i>maritima</i>	105, 112	<i>pachymerus</i>	109, 267, 268
<i>Anisomorpha buprestoides</i> , 106, 126,		<i>testaceus</i>	109, 267
127		<i>Atlantolimax</i>	376
<i>ferruginea</i>	106, 126, 127	<i>Aulonia aurantia</i>	82
<i>Anisotremus interruptus</i>	410		
<i>tæniatus</i>	410	<i>Bactromantis virga</i>	121, 122
<i>Anolis capito</i>	400	<i>Bairdiella ronchus</i>	410
<i>humilis</i>	400	<i>Balanus balanoides</i>	440-442, 445, 452
<i>insignis</i>	400	<i>Balistes vetula</i>	411
<i>lionotus</i>	408	<i>Basiliscus basiliscus</i>	407
<i>lunifrons</i>	400	<i>Bathyphantes alpina</i>	76
<i>trochilus</i>	406, 408	<i>angulata</i>	76, 77
<i>Anomalofusus</i>	461, 462	<i>argenteomaculata</i>	76
<i>Antocha saxicola</i>	496	<i>calcaratus</i>	77
<i>Anurogryllus angustulus</i>	291	<i>complicata</i>	76
<i>antillarum</i>	291	<i>decorata</i>	76
<i>caribeus</i>	291	<i>inornata</i>	76
<i>guadeloupensis</i>	291	<i>intricata</i>	77
<i>muticus</i>	109, 290, 292	<i>minuta</i>	76
<i>Anyphæna incerta</i>	70	<i>nebulosa</i>	76
<i>saltabunda</i>	70	<i>pallida</i>	76
<i>Aplocheilus cameronensis</i>	426	<i>sabulosa</i>	76
<i>macrostigma</i>	426	<i>subalpina</i>	76
<i>panchax</i>	426	<i>tristis</i>	77
<i>senegalensis</i>	426	<i>umbratilis</i>	76
<i>sexfasciatus</i>	426	<i>unimaculata</i>	76
<i>spilauchen</i>	426	<i>zebra</i>	76
<i>Aporosa tibialis</i>	491	<i>Batrachidea carinata</i>	129
<i>virescens</i>	493	<i>Batrachoides pacifici</i>	412
<i>Apotettix minutus</i>	135, 136, 144	<i>Belocephalus davisii</i>	108, 259, 260
<i>Aptenopodes aptera</i>	108, 253	<i>rehni</i>	259
<i>rufovittata</i>	252	<i>sabalis</i>	259-261
<i>sphenarioides clara</i>	240, 252, 253	<i>sleighti</i>	259-261
<i>s. sphenarioides</i>	108, 240, 252, 253	<i>subapterus</i>	108, 258, 260
<i>Archosargus unimaculatus</i>	402	<i>Belonesox belizanus</i>	436
<i>Arethæa phalangium</i>	108, 253	<i>Binghamiella antipodes insularis</i>	363
<i>Argiope transversa</i>	78	<i>Bittacomorpha</i>	545
<i>trifasciata</i>	78	<i>clavipes</i>	545
<i>Argyropeira hortorum</i>	78	<i>jonesi</i>	545
<i>Arphia granulata</i>	106, 175	<i>occidentalis</i>	545
<i>sulphurea</i>	106, 176	<i>sackenii</i>	546
<i>xanthoptera</i>	106, 174	<i>Bittacomorphella</i>	545
<i>Argiope riparia</i>	78	<i>Blatta orientalis</i>	105, 119
<i>Argonauta argo</i>	47, 48	<i>Blattella germanica</i>	105, 118
<i>grandiformis</i>	48	<i>Brachygenys chrysargyreus</i>	402
<i>nodosa</i>	47, 49	<i>Brycon striatulus</i>	406
<i>pacifica</i>	48	<i>Bufo marinus</i>	406, 407, 414
<i>sp.</i>	46, 47, 49	<i>typhonius</i>	406, 407, 414
<i>Astia vittata</i>	83	<i>valliceps</i>	394, 414
<i>Astyanax æneus</i>	406		
<i>æ. costaricensis</i>	389	<i>Caloptenus floridianus</i>	251
<i>mexicanus</i>	407	<i>minor</i>	241
<i>Atarba cincticornis</i>	499, 500	<i>Camptonotus carolinensis</i>	109, 268
<i>picticornis</i>	496, 500	<i>Campylacantha olivacea</i>	107, 207
<i>varicornis</i>	499, 500	<i>Caranx caballus</i>	409
<i>Atlanticus calcaratus</i>	109, 268	<i>crysos</i>	398, 401
<i>americanus</i>	109, 268	<i>hippos</i>	401, 409

<i>Caranx latus</i>	398	<i>Cicurina placida</i>	70
<i>Cariblatta lutea lutea</i>	105, 118	<i>Cirroteuthis meangensis</i>	48
<i>Caseola herbicola</i>	72	<i>Citharichthys arenaceus</i>	405
<i>Castianeira cingulata</i>	69	<i>Clinocephalus elegans</i>	106, 172, 249
<i>descripta</i>	69	<i>pulcher</i>	172, 172, 173
<i>longipalpis</i>	69	<i>Clubiona abbottii</i>	69
<i>Centropomus undecimalis</i>	402	<i>americana</i>	69
<i>unionensis</i>	409	<i>canadensis</i>	69
<i>Ceratinella annulipes</i>	72	<i>crassipalpis</i>	69
<i>atriceps</i>	71	<i>latifrons</i>	69
<i>emertoni</i>	71, 72	<i>lenta</i>	69
<i>formosa</i>	72	<i>minuta</i>	69
<i>moesta</i>	72	<i>obesa</i>	69
<i>placida</i>	72	<i>ornata</i>	69
<i>similis</i>	71	<i>pygmæa</i>	69
<i>Ceratinopsis alternatus</i>	74	<i>riparia</i>	69
<i>auriculatus</i>	72	<i>rubra</i>	69
<i>frontatus</i>	72	<i>Coccidium schubergi</i>	33, 34
<i>interpres</i>	72	<i>Cœlotes altilis</i>	70
<i>nigriceps</i>	72	<i>calcaratus</i>	70
<i>Ceratinoptera diaphana</i>	105, 118	<i>fidelis</i>	70
<i>Ceuthophilus blatchleyi</i>	269	<i>gnavus</i>	70
<i>gracilipes</i>	109, 270-272	<i>hybridus</i>	70
<i>grandis</i>	270, 271	<i>lineatus</i>	70
<i>heros</i>	270, 271	<i>longitarsus</i>	70
<i>lapidicola</i>	109, 272-274	<i>medicinalis</i>	70
<i>latens</i>	109, 273, 274	<i>urbanus</i>	70
<i>latibuli</i>	109, 270	<i>Conocephalus aigialis</i>	109, 266
<i>neglectus</i>	109, 274-276	<i>allardi</i>	108, 265
<i>pallidipes</i>	272, 273	<i>brevipennis</i>	108, 265
<i>peninsularis</i>	274	<i>fasciatus fasciatus</i>	108, 265
<i>sallei</i>	109, 274	<i>fusco-striatus</i>	262
<i>secretus</i>	270	<i>mexicanus</i>	262
<i>spinosus</i>	109, 274, 275	<i>nemoralis</i>	108, 265
<i>tenebrarum</i>	273	<i>nigropleuroides</i>	109, 266
<i>terrestris</i>	275, 276	<i>saltans</i>	109, 266
<i>uhleri</i>	109, 269, 275	<i>spartinae</i>	109, 266
<i>varicator</i>	270	<i>stictomerus</i>	109, 265
<i>virgatipes</i>	270, 270	<i>strictus</i>	109, 265
<i>Chætodipterus zonatus</i>	411	<i>Conodon nobilis</i>	404
<i>Chætodon humeralis</i>	411	<i>Cornicularia communis</i>	72, 74
<i>Characodon variatus</i>	432	<i>directa</i>	73, 74
<i>Chionea</i>	530	<i>formosa</i>	72
<i>Chlœaltis conspersa</i>	106, 174	<i>pallida</i>	72
<i>Chloroscombrus chrysurus</i>	398, 402	<i>placida</i>	72
<i>Chorisoneura plocea</i>	120	<i>Corythophanes cristatus</i>	406
<i>texensis</i>	106, 120	<i>Crepidula adunca</i>	479-485
<i>Chorthippus curtispennis</i>	106	<i>nivea</i>	479
<i>Chortophaga australior</i> , 106, 177, 178,	180	<i>Crypteria</i>	530
<i>cubensis</i>	177	<i>Cryptocercus punctulatus</i>	106, 121
<i>viridifasciata</i> , 106, 172, 176, 177,	179, 249	<i>Cryptoptilum antillarum</i>	109, 284
<i>Chrioeps</i>	425	<i>squamosum</i>	109, 286
<i>Chromacris colorata</i>	194	<i>trigonipalpus</i>	109, 284
<i>Cichlasoma alfari</i>	393	<i>Cynoscion jamaicensis</i>	404
<i>maculicauda</i>	399, 406	<i>Cyrtophyllus elongatus</i>	256
<i>spilurus</i>	393	<i>intermedius</i>	257
<i>Cicurina brevis</i>	70	<i>perspicillatus</i>	256, 257
<i>complicata</i>	70	<i>Cyrtoxipha</i>	300, 301
<i>creber</i>	70	<i>columbiana</i>	110, 300, 306
		<i>gundlachi</i>	300, 301, 306, 307
		<i>Cyprinodon bovinus</i>	429, 432

Cyprinodon b. rubrofluvialis.....	430	Elaps fulvius.....	408
californiensis.....	432	Eledone verrucosa.....	48, 49
elegans.....	432	Elephantomya westwoodi.....	497
eximius.....	429	Eleutherodactylus bocourti.....	396
gibbosus.....	429	humeralis.....	394
macularius.....	432	nubilus.....	406
mydrus.....	432	polyptychus.....	399
variegatus.....	429	rhodopsis.....	408, 414
v. riverendi.....	429	Ellipes minuta.....	109, 284
Delphinula.....	470	Elliptera alexanderi.....	513
Delorhipis monoceros.....	74	Empedomorpha.....	507
Dendrobates tinctorum.....	396, 400, 414	empedoides.....	508
Dendryphantes capitatus.....	82	Enyalioides heterolepis.....	406
elegans.....	82	Encoptolophus sordidus.....	106, 179
exiguus.....	82	Enoplateuthidæ.....	51
flavipedes.....	82	Enoplateuthis hoylei.....	58
flavus.....	82	Eotettix.....	212, 213
insignis.....	82	hebarði.....	217
militaris.....	83	pusillus.....	107, 208
octavus.....	82, 83	signatus.....	107, 208, 209
ornatus.....	82	Epeira cavatica.....	78
Desmoteuthis.....	48, 64	cinerea.....	78
pellucida.....	64	foliata.....	78
tenera.....	64	gibberosa.....	78
Diapheromera femorata.....	106, 124	gigas.....	78
Dichromorpha viridis.....	106, 170	ithaca.....	78
Dicranomyia badia.....	490	labyrinthea.....	78
cinerea.....	514	marmorea.....	78
Dicranoptycha germana.....	496	ocellata.....	78
nigripes.....	497	parvula.....	78
sobrina.....	497	patagiata.....	78
winnemana.....	497, 500	placida.....	78
Dictyna cruciata.....	71	prompta.....	78
decorata.....	71	sericata.....	78
dubia.....	71	solopetaria.....	78
foliacea.....	71	stellata.....	78
foxi.....	71	strix.....	78
frondea.....	71	Epiblemum scenicum.....	83
maxima.....	71	Epiplatys sexfasciatus.....	426
minuta.....	71	Erigone longipalpis.....	75
volupis.....	71	percisa.....	73, 74
Diodon hystrix.....	411	persimilis.....	75
Diplectrum radiale.....	409	Erioptera costalis.....	503
Diplocephalus crenatum.....	74	(Erioptera) laticeps.....	501
Diplostyla alboventris.....	76	(Empeda) nyctops.....	503
pallida.....	75	(Mesocyphona) tantilla.....	502
Dissosteira carolina.....	106, 184	Eris nervosus.....	83
Dolomedes scriptus.....	82	octavus.....	83
sexpunctatus.....	82	Eritettix simplex.....	106, 159
tenebrosus.....	82	Esox americanus.....	415
Dormitator maculatus.....	405	cypho.....	415
Doru aculeatum.....	105, 113	lucius.....	415
Drassus humilis.....	69	masquinogy.....	415
neglectus.....	69	porosus.....	415
saccatus.....	69	reticulatus.....	415
Drillia distans.....	459, 460	vermiculatus.....	415
Drilluta.....	458	Eublepharis dovi.....	400
communis.....	458, 459	Eucinostomus californiensis.....	410
major.....	460	harengulus.....	399, 404
		Eucleoteuthis.....	48, 60
		luminosa.....	60, 61

<i>Eucleoteuthis</i> sp.....	46, 47, 60	<i>Gambusia nicaraguensis</i>	435
<i>Euconulus fulvus</i>	338	<i>punctata</i>	433
<i>Eupomacentrus fuscus</i>	405	<i>Garmanina paradoxa</i>	412
<i>Eurycotis floridana</i>	105, 119	<i>Gayenna celer</i>	70
<i>Euryglossa depressa sparsa</i>	363	<i>Geranomyia canadensis</i>	486-488
<i>Euryglossina flaviventris</i>	362	<i>certhia</i>	492
<i>hypochroma</i>	362	<i>cinereinota</i>	490, 491
<i>perpusilla nana</i>	363	<i>costaricensis</i>	494
<i>Exechophysis plumalis</i>	71	<i>distincta</i>	488, 489
<i>Falcicula</i>	301, 302	<i>diversa</i>	490
<i>hebaridi</i>	110, 302, 304, 305	<i>domingensis</i>	490
<i>Fontinus</i>	421	<i>enderleini</i>	493
<i>Fundulinæ</i>	416	<i>guatemalensis</i>	487
<i>Fundulus</i>	416, 417, 425	<i>ibis</i>	493
<i>antillarum</i>	418, 420, 421	<i>insignis</i>	494
<i>aureus</i>	425	<i>intermedia</i>	489
<i>balboæ</i>	423	<i>knabiana</i>	487
<i>bermudæ</i>	421	<i>lachrymalis</i>	492
<i>catenatus</i>	422	<i>plumbeipleura</i>	494, 496
<i>chrysotus</i>	423	<i>rostrata</i>	493
<i>cubensis</i>	421	<i>rufescens</i>	491
<i>diaphanus</i>	421	<i>subinsignis</i>	495
<i>d. menona</i>	421	<i>tibialis</i>	491
<i>dovii</i>	426	<i>vanduzeei</i>	488
<i>floripinnis</i>	423	<i>virescens</i>	493
<i>fonticola</i>	421	<i>Gerres peruvianus</i>	410
<i>goodei</i>	425	<i>olisthostomus</i>	399
<i>grandis</i>	417	<i>rhombus</i>	404
<i>heteroclitus</i>	417, 418, 420	<i>Girardinichthys innominatus</i>	427
<i>h. badius</i>	417	<i>Girardinus metallicus</i>	438
<i>h. macrolepidotus</i>	417	<i>pleurospilus</i>	437
<i>hispanicus</i>	421	<i>Glaridichthys uninotatus</i>	438
<i>luciae</i>	423	<i>Gnaphosa brumalis</i>	69
<i>majalis</i>	416	<i>conspersa</i>	69
<i>mudfish</i>	417	<i>humilis</i>	69
<i>nisorius</i>	417	<i>Gobiesox microspilus</i>	412
<i>notatus</i>	425	<i>papillifer</i>	414
<i>nottii</i>	425	<i>Gonatista grisea</i>	106, 122
<i>parvipennis</i>	417	<i>Gonatum rubens</i>	72, 73
<i>pulvereus</i>	423	<i>Gongylidium trilobatus</i>	75
<i>punctatus</i>	417	<i>Gonomyia</i>	508
<i>rhizophoræ</i>	421	<i>æqualis</i>	513, 526
<i>sciadicus</i>	423	<i>alexanderi</i>	511, 513, 514
<i>seminolis</i>	421, 422	<i>blanda</i>	512, 518
<i>similis</i>	416	<i>californica</i>	512, 519
<i>stellifer</i>	422	<i>cinerea</i>	511, 514
<i>zebrinus</i>	422	<i>cognatella</i>	512, 522
<i>Fusus (Anomalofusus) substriatus</i> , 461,	462	<i>filicauda</i>	512, 523
<i>Galasaccus</i>	416	<i>flavibasis</i>	512, 521
<i>Gambusia affinis</i>	432, 437, 438	<i>florens</i>	512, 521
<i>cana</i>	435	<i>galactoptera</i>	512, 523
<i>cascajalensis</i>	435	<i>helophila</i>	513, 514
<i>dariensis</i>	435	<i>inermis</i>	517
<i>dovii</i>	435	<i>manca</i>	511, 517
<i>gracilis</i>	432, 433	<i>mathesoni</i>	511, 518
<i>holbrooki</i>	432, 433	<i>mexicana</i>	513, 527
<i>latipunctata</i>	435	<i>noveboracensis</i>	512, 523
<i>menieli</i>	433	<i>pleuralis</i>	511, 516
		<i>puer</i>	511, 517
		<i>sacandaga</i>	511, 515
		<i>slossonæ</i>	511, 518

Gonomyia subcinerea.....	513, 524	Haplochilus dovii.....	425
sulphurella.....	519	floripinnis.....	423
unicolor.....	513, 527	macrostigma.....	426
virgata.....	513, 526	melanops.....	432, 433
Goodia atripinnis.....	432	Hasarius hoyi.....	83
Grammonota ornata.....	72	Helicocranchia fisheri.....	64
venusta.....	72	Helix idahoensis peripherica.....	330
Grylloides clarazianus.....	291	Helophora insignis.....	76
grylloides.....	311	Hepatus bahianus.....	405
sigillatus.....	295	cæruleus.....	405
Gryllotalpa americana.....	278	crestonis.....	411
borealis.....	277, 278	hepatus.....	405
brevipennis.....	278	Hesperotettix brevipennis brevi-	
columbia.....	278	pennis.....	107, 210, 211
hexadactyla.....	109, 277	b. pratensis.....	107, 210
longipennis.....	278	floridensis.....	107, 209
Gryllus arenaceus.....	294	speciosus.....	209
assimilis.....	109, 293, 294	Heterandria affinis.....	432, 433
domesticus.....	109, 295	formosa.....	436
firmus.....	294	occidentalis.....	436
luctuosus.....	294	patruelis.....	433
neglectus.....	293, 294	pleurospilus.....	437
pennsylvanicus.....	294	Hippiscus citrinus.....	182, 182
rubens.....	294	compactus.....	181, 182
scudderianus.....	293, 294	immaculatus.....	182
Gymnoscirtetes pusillus.....	107, 207	rugosus.....	106, 181, 182
Habrocestum cæcatum.....	83	suturalis.....	182, 182
latens.....	83	texanus.....	180, 181
peregrinum.....	83	tuberculatus.....	183
splendens.....	83	variegatus.....	181, 182
Hadenœcus puteanus.....	109, 269	Hippocampoides.....	466, 467
Hæmulon flavolineatum.....	402	serratus.....	466, 467
parra.....	402	Holacanthus tricolor.....	405
plumieri.....	402	Holocentrus adscensionis.....	401
Hahnia agilis.....	70	siccifer.....	401
bimaculata.....	70	suborbitalis.....	409
Halictus brazieri.....	367	Homorocoryphus hoplomachus.....	263
confusellus.....	374, 375	malivolans.....	108, 263
demissus.....	371, 374	Hydrargira similis.....	416, 416
dolichocerus.....	370, 375	Hydrargyra zebra.....	422
epiensis.....	369	Hydrotribulus.....	464
forticornis.....	372, 375	nodosus.....	464, 465
hæmatopus.....	375	Hyla bocourti.....	394
imitans.....	372, 375	eximia.....	394
lanariellus.....	373, 375	moquardi.....	414
macrops.....	373, 374	punctariola.....	399
mundulus.....	366, 374	Hylodes bocourti.....	396
pachycephalus.....	369, 375	Hyporhamphus unifasciatus.....	401
pulvitectus.....	375	Hypsoblennius striatus.....	412
seductus.....	372	Icius albobittatus.....	82
semipolitus expulsus.....	372, 375	elegans.....	83
spenceri.....	368, 375	formosus.....	82
subinclinans.....	374	fuligineus.....	83
supralucens.....	371, 375	harti.....	83
tannaënsis.....	368	mitratus.....	82
urbanus.....	366, 374	mœstus.....	83
Hapithus agitator agitator, 110, 308,		palmarum.....	82
a. quadratus.....	110, 309	Iguana tuberculata.....	407
brevipennis.....	110, 310	Iridio bivittatus.....	405
		Ischnoptera bolliana.....	105, 118

<i>Ischnoptera borealis</i>	105, 118	<i>Lophocarenum miniatum</i>	73
<i>couloniana</i>	105, 116	<i>montiferum</i>	73
<i>deropeltiformis</i>	105, 114	<i>parvum</i>	73
<i>divisa</i>	105, 115, 117	<i>spiniferum</i>	73
<i>insolita</i>	105, 118	<i>tristis</i>	73
<i>johnsoni</i>	105, 115	<i>unimaculatum</i>	73
<i>nigricollis</i>	105, 114	<i>venustum</i>	73
<i>pensylvanica inæqualis</i>	115, 116	<i>Lophomma cristata</i>	73
<i>p. pensylvanica</i>	105, 115, 116	<i>Lucania goodei</i>	425
<i>uhleriana fulvescens</i>	105, 117	<i>parva</i>	426
<i>u. uhleriana</i>	105, 117	<i>venusta</i>	426
<i>Isopisthus harroweri</i>	402	<i>Lutianus apodus</i>	402
<i>parvipinnis</i>	404	<i>Lycosa aspersa</i>	81
<i>Labia minor</i>	105, 112	<i>avara</i>	81
<i>Labidura bidens</i>	105, 112	<i>avida</i>	80
<i>Lampadioteuthidæ</i>	48, 51	<i>communis</i>	80
<i>Lampadoteuthis</i>	52, 57	<i>exitiosa</i>	81
<i>megaleia</i>	46-48, 52, 57	<i>frondicola</i>	80
<i>Lamprichthyinæ</i>	416	<i>helluo</i>	80
<i>Lamprichthys</i>	416	<i>humilis</i>	81
<i>Larimus breviceps</i>	399, 404	<i>nidicola</i>	80
<i>Lebias fasciatus</i>	432	<i>nigroventris</i>	80
<i>Lebistes reticulatus</i>	438	<i>oblonga</i>	81
<i>Leptodactylus caliginosus</i>	407	<i>polita</i>	81
<i>Leptodeira polysticta</i>	408	<i>pratensis</i>	80
<i>Leptorhaphis infans</i>	437	<i>rabida</i>	81
<i>Leptysma marginicollis</i>	107, 195	<i>relucens</i>	81
<i>Libellula americana</i>	205	<i>rufiventris</i>	81
<i>americanus</i>	205	<i>scutulata</i>	81
<i>Limia cubensis</i>	438	<i>similis</i>	80
<i>vittata</i>	438	<i>vulpina</i>	81
<i>Limnobia intermedia</i>	489	<i>Lycoteuthidæ</i>	51
<i>rostrata</i>	493	<i>Lycoteuthis</i>	57
<i>Limnobiorhynchus canadensis</i>	486	<i>diadema</i>	57
<i>Limnophila edwardi</i>	533	<i>Lythrulon flaviguttatum</i>	410
<i>irrorata</i>	531	<i>Macneillia obscura</i>	160
<i>strepens</i>	532	<i>Manomera brachypyga</i>	125
<i>sylvia</i>	534	<i>orthostylus</i>	125
<i>Linyphia clathrata</i>	75	<i>tenuescens</i>	106, 125
<i>communis</i>	75	<i>Mapo soporator</i>	405, 411
<i>conferta</i>	75	<i>Marpissa binus</i>	82
<i>maculata</i>	75	<i>undata</i>	83
<i>phrygiana var. annulipes</i>	75	<i>Marptusa familiaris</i>	83
<i>variabilis</i>	75	<i>rupicola</i>	83
<i>Liotia</i>	470	<i>Mataxa</i>	455
<i>Littorina littorea</i>	440, 441, 442	<i>elegans</i>	455, 456
<i>palliata</i>	441, 442	<i>Megalocranchia maxima</i>	64
<i>rudis</i>	441, 442	<i>pardus</i>	46, 47, 48, 61, 64
<i>Locusta camellifolia</i>	257	<i>Melanoplus amplectens</i> , 231, 235, 235,	236
<i>Loligo banksii</i>	50	<i>atlanis</i>	107, 237
<i>bartramii</i>	59	<i>attenuatus</i> , 107, 212-214, 216-218,	231
<i>oualaniensis</i>	60	<i>australis</i> , 107, 213, 214, 216, 217,	250
<i>Lophocarenum arvensis</i>	74	<i>blatchleyi</i>	235, 235, 236
<i>castaneum</i>	73	<i>borealis</i>	231
<i>crenatoideum</i>	74	<i>carnegiei</i>	107, 229
<i>crenatum</i>	74	<i>celatus</i>	228
<i>erigonoides</i>	73, 74	<i>clypeatus</i>	107, 244
<i>exiguum</i>	73		
<i>florens</i>	73		
<i>formosum</i>	73, 74		

Melanoplus cockerelli.....	231	Microcentrum rhombifolium....	108, 256
confusus.....	107, 240, 241	Microgobius miraflorensis.....	412
deceptus.....	107, 211, 212	Microneta complicata.....	77
decoratus.....	107, 219, 220	distincta.....	77
deletor.....	241, 244	flaveola.....	77
decorus.....	107, 213-218, 250	frontata.....	77
devius.....	107, 219, 220	gigantea.....	77
divergens.....	228	latens.....	77
fasciatus.....	231, 236	longitubus.....	76
femoratus.....	107, 246	luteola.....	77
femur-rubrum femur-rubrum, 107,		minutissima.....	77
238-240, 244		olivacea.....	76
f. propinquus.....	107, 239	palustris.....	77
franciscanus.....	231	quinquedentata.....	77
furcatus.....	107, 244	Microphysa ingersolli convexior.....	335
gracilis.....	211	Mimetus epeiroides.....	71
hebardii.....	107, 212-214, 217	interfactor.....	71
impiger.....	107, 240	Miogryllus verticalis.....	109, 295
impudicus.....	107, 237	Misumena foliata.....	79
inconspicuus.....	231	georgiana.....	79
inops.....	221, 222	placida.....	80
islandicus.....	228, 229	rosea.....	79
juvencus.....	212, 231	Misumessus asperatus.....	79, 80
luridus keeleri.....	107, 241, 242	Mogosoplistus slossoni.....	285
l. luridus.....	107, 238, 241-243	Mollienisia latipinna.....	437, 438
maneus.....	228	sphenops.....	438
minor.....	240	sphenops.....	393, 406, 438
mirus.....	107, 221, 224, 227, 228	s. tropica.....	392
morsei.....	219, 231	Molophilus fultonensis.....	505
mutatus.....	241	nova-caesariensis.....	506, 507
nigrescens.....	107, 231-234	pubipennis.....	505
nubilus.....	107, 213, 214, 217	ursinus.....	507
obovatifemnis.....	219, 231	Moschites challengerii.....	47, 48, 49
puer.....	212, 221, 222, 224, 225	Mugil curema.....	401, 409
punctulatus arboreus, 108, 246,		Muraena clepsydra.....	409
247, 248		Myrmecophila pergandei.....	109, 284
p. punctulatus.....	108, 246, 247	Mytilus edulis.....	440, 441, 442, 445, 452
querneus.....	107, 231-234		
rotundipennis.....	107, 221-229	Narona eximia.....	455
231		Nautilus macromphalus.....	47, 65
scapularis.....	107, 221, 223, 224, 226	pompilius.....	47, 65
scudderi scudderi.....	107, 228-231	spirula.....	50
s. texensis.....	230, 231	Nematolampas.....	57
similis.....	107, 211	regalis.....	45, 46, 47, 50, 57
stegocercus, 107, 221, 223, 224,		Nemobius ambiguus.....	109, 288
227, 228		bruneri.....	109, 289
strumosus.....	107, 221, 224, 227, 228	carolinus carolinus.....	109, 290
sylvaticus.....	211	confusus.....	109, 290
sylvestris.....	107, 222, 228, 229	cubensis cubensis.....	109, 289
tepidus.....	219, 231	fasciatus fasciatus.....	109, 286, 288
tribuloides.....	219	f. socius.....	109, 287
tribulus.....	107, 219, 220	griseus funeralis.....	109, 288
viridipes.....	211, 212, 231	maculatus.....	109, 287, 288
walshii.....	107, 231, 233-236	palustris aurantius.....	109
Mermiria alacris.....	106, 156	p. palustris.....	109, 290
bivittata.....	106, 156	Neoconocephalus caudellianus.....	108, 262
intertexta.....	106, 156	exilis-canoris.....	108, 262
vigilans.....	156, 157	melanorhinus.....	262
Micaria formicoides.....	68	mexicanus.....	261
longipes.....	68	retusus.....	108, 262
Microcentrum retinerve.....	108, 256	robustus crepitans.....	108, 262

- Neoconocephalus triops*.....108, 261, 262
 velox.....108, 262
Neotettix bolivari.....135, 136, 141
 bolteri, 106, 135-137, 139, 143-145
 coarctatus.....135, 136, 137, 144
 femoratus.....106, 138, 141
 hancocki.....135, 137, 144
 bolivari longipennis.....135, 136, 141
 proavus.....106, 138, 139
 rotundifrons.....135, 136, 141
 variabilis.....135-137, 141
Neoxabea bipunctata.....110, 298
Nomotettix cristatus arcuatus, 106,
 128, 129, 131, 133
 c. atavus.....130, 131
 c. borealis.....128, 129
 c. compressus, 106, 128, 129, 130,
 132
 c. cristatus.....106, 128, 129, 131, 132
 c. denticulatus.....131, 132
 c. floridanus.....128, 129, 132
Noropis auratus.....408
Notropis bifrenatus.....425

Ocyale undata.....82
Odontofusus.....463
Odontophidium apterum.....109, 266
Oecanthus angustipennis.....109, 295, 296
 exclamationis.....109, 295
 latipennis.....110, 298
 nigricornis.....109, 297, 298
 niveus.....109, 295, 296
 pini.....110, 298
 quadripunctatus.....109, 296, 298
Ogilbia cayorum.....405
Oligonyx bollianus.....123
 scudderi.....106, 122, 123
 uhleri.....122, 123
Onchidiopsis.....376
 corys.....377
 glacialis.....378
 grönlandica.....376, 378
 (*Atlantolimax*) *hannai*.....376
 pacifica.....378
Onychoteuthis banksii.....46, 47, 50
Opisthonema oglinum.....397, 401
Oreohelimum agile.....108, 263
 bradleyi.....108, 264
 concinnum.....108, 264
 fidicinum.....108, 264
 glaberrimum.....108, 263
 laticauda.....108, 264
 militare.....108, 264
 minor.....108, 264
 superbum.....108, 264
 vulgare.....108, 263
Oreohelix albofasciata.....329
 avalonensis.....341, 354
 barbata.....341-344, 354
 binneyi.....329
 bruneri.....340, 354

Oreohelix carinifera.....321, 322, 354
 chiricahuana.....341, 344, 354
 clappi.....341, 344, 354
 concentrata.....341, 343, 344, 352, 354
 c. huachucana.....352
 cooperi, 321, 326, 341-343, 348-
 350, 352, 353-357
 c. stantoni.....340
 elrodi.....343, 354
 ferrissi.....341, 355
 gouldi.....329
 hachetana.....341, 355
 haydeni, 322, 324, 343, 345, 346,
 352, 354, 355
 h. betheli.....343, 347, 348
 h. corrugata.....337, 343, 347, 348
 h. gabbiana.....323, 335, 347, 349
 h. hybrida.....335, 347, 349
 h. mixta.....348
 hemphilli.....321, 322, 344, 354, 355
 h. eurekensis.....321
 hendersoni.....343, 344, 346, 353, 355
 idahoensis.....344, 353, 355
 metcalfei.....341, 343, 344, 352, 354
 oquirrhensis.....322, 324
 peripherica, 327, 329, 330, 330,
 335, 343, 345, 349, 350, 353, 355
 p. albofasciata.....330
 p. binneyi.....330, 335
 p. castaneus.....330
 p. multicostata.....330, 335
 p. newcombi.....330, 343
 pilsbryi.....341, 343, 352, 354
 pygmæa.....353
 rugosa.....334, 344, 350, 353, 355
 socorroensis.....341, 354
 strigosa, 341, 343, 345, 350, 352,
 353, 355, 356
 s. buttoni.....327, 346
 s. carnea.....345
 s. depressa, 322, 325-327, 335,
 338, 342, 344-347, 349, 350, 352
 s. d. carnea.....325
 s. d. tooelensis.....323
 s. fragilis.....336, 345, 346
 s. imitatoris.....340
 s. jugalis.....343, 345
 s. subcarinata.....343
 s. tooelensis.....345, 346
 tenuistriata.....338, 354
 utahensis.....322, 324
 wasatchensis.....330
 yavapai.....341, 343, 344, 354
 y. extremitatis.....351
Orestias agassizii.....427
 albus.....429
 bairdii.....427
 cuvieri.....427
 cypho.....427
 frontosus.....427
 neveni.....429

<i>Orestias ortonii</i>	427	<i>Paroxya a. atlantica</i>	108, 248
<i>pentlandii</i>	427	<i>a. paroxyoides</i>	249, 250
<i>Ornopsis</i>	463	<i>clavuliger</i>	108, 251
<i>elevata</i>	463, 464	<i>floridana</i>	251
<i>glenni</i>	463, 464	<i>hoosieri</i>	251
<i>Orocharis grylloides</i>	311, 311, 312	<i>scudleri</i>	248, 249
<i>saltator</i>	110, 311, 312	<i>Patula castaneus</i>	330
<i>saulcyi</i>	311	<i>multicostata</i>	330
<i>Orphulella halophila</i>	163, 165, 166	<i>peripherica</i>	330
<i>olivacea</i> , 106, 163, 164, 165, 167,		<i>strigosa albofasciata</i>	330
169, 172		<i>s. binneyi</i>	330
<i>pelidna</i> , 106, 161, 163, 164, 166,		<i>s. buttonii</i>	327
166, 167, 170		<i>s. carnea</i>	325
<i>pratorum</i>	163	<i>s. castaneus</i>	330
<i>speciosa</i>	106, 170	<i>s. fragilis</i>	336
<i>zapoteca</i>	170	<i>s. gabbiana</i>	323
<i>Orthopristis scapularis</i>	402	<i>s. gouldi</i>	330
<i>Oxybelis acuminatus</i>	397	<i>s. hybrida</i>	335
<i>Oxyptila americana</i>	79	<i>s. multicostata</i>	330
<i>conspurecata</i>	79	<i>s. newcombi</i>	330
<i>georgiana</i>	79	<i>s. rugosa</i>	334
<i>Oxyzygonectes</i>	425	<i>Paxilla obesa</i>	106, 147, 148
<i>Pachygnatha brevis</i>	79	<i>Pedanostethus pumilis</i>	77
<i>mccooki</i>	79	<i>riparius</i>	77
<i>xanthostoma</i>	79	<i>Pelamis bicolor</i>	414
<i>Pachyprosopis saturnina</i>	362	<i>Pellenes borealis</i>	83
<i>Paludetrina longinqua</i>	322, 334	<i>decorus</i>	83
<i>Paludina vivipara</i>	479	<i>falcata</i>	83
<i>Paracolletes halictiformis</i>	365	<i>Periplaneta americana</i>	105, 119
<i>Paramecium</i>	85, 86	<i>australasie</i>	105, 119
<i>Paratettix cucullatus</i>	106, 146	<i>brunnea</i>	106, 120
<i>rugosus</i>	106, 146	<i>Pezotettix occidentalis</i>	235
<i>texanus</i>	146	<i>Phalloceros caudimaculatus</i>	437
<i>Paratylotropidia beutenmuelleri</i> , 107,		<i>Phallostethinae</i>	416
211		<i>Phallostethus</i>	416
<i>Pardalophora apiculata</i>	183	<i>Phidippus albomaculatus</i>	82
<i>haldemanni</i>	181	<i>audax</i>	82
<i>phcenicoptera</i> , 106, 180, 181, 183,		<i>castrensis</i>	82
249		<i>electus</i>	82
<i>Pardosa albopatella</i>	81	<i>mccooki</i>	82
<i>annulata</i>	81	<i>mystaceus</i>	82
<i>brunnea</i>	81	<i>putnami</i>	82
<i>canadensis</i>	81	<i>rauterbergi</i>	82
<i>diffusa</i>	81	<i>tripunctatus</i>	82
<i>distincta</i>	81	<i>Philæus militaris</i>	82
<i>emertoni</i>	81	<i>princeps</i>	82
<i>flavipes</i>	81	<i>Philodena roseola</i>	85
<i>glacialis</i>	81	<i>Philodromus aureolus</i>	80
<i>gracilis</i>	81	<i>bidentatus</i>	80
<i>lapidicina</i>	81	<i>brevis</i>	80
<i>nigropalpis</i>	81	<i>exilis</i>	80
<i>minima</i>	81	<i>expositus</i>	80
<i>modica</i>	81	<i>gracilis</i>	80
<i>moesta</i>	81	<i>laticeps</i>	80
<i>montana</i>	81	<i>maculatus</i>	80
<i>obsoleta</i>	81	<i>minusculus</i>	80
<i>pallida</i>	81	<i>minutus</i>	80
<i>venusta</i>	81	<i>ornatus</i>	80
<i>xerampelina</i>	81	<i>pernix</i>	80
<i>Paroxya atlantica</i>	215	<i>pictus</i>	80
		<i>placidus</i>	80

<i>Philodromus prælustrius</i>	80	<i>Prothesima atra</i>	68
<i>rufus</i>	80	<i>blanda</i>	68
<i>signifer</i>	80	<i>depressa</i>	68
<i>unicolor</i>	80	<i>ecclesiastica</i>	68
<i>vulgaris</i>	80	<i>frigida</i>	68
<i>Philypnus dormitor</i>	405	<i>immaculata</i>	68
<i>Pholcomma hirsuta</i>	71	<i>minima</i>	69
<i>Phos</i>	462	<i>rufula</i>	68
<i>Phrurolithus alarius</i>	70	<i>Pseudoscarus perrico</i>	410
<i>borealis</i>	70	<i>Pseudoxiphophorus bimaculatus</i>	436
<i>palustris</i>	70	<i>Psinidia fenestralis</i>	107, 188
<i>Phryniscus varius</i>	397	<i>Pterochionea</i>	529, 530
<i>Phylloscyrtus pulchellus</i>	110, 307	<i>bradleyi</i>	529, 530
<i>Physa cooperi</i>	334	<i>Pterophylla camellifolia</i> camelli-	
<i>distinguenda</i>	334	<i>folia</i>	108, 256, 257
<i>Piabucina panamensis</i>	407	<i>c. intermedea</i>	108, 257, 258
<i>Pirata agilis</i>	81	<i>elongatus</i>	258
<i>aspirans</i>	81	<i>Pupilla bigranata</i>	329
<i>exigua</i>	82	<i>blandi</i>	322, 336
<i>humicolus</i>	81	<i>hebes</i>	329
<i>minuta</i>	81, 82	<i>muscorum</i>	329
<i>montana</i>	81	<i>syngenes</i>	329
<i>montanoides</i>	81	<i>Purpura</i>	444
<i>Pisidium huachucanum</i>	334, 339	<i>Pycnoscelus surinamensis</i>	106, 120
<i>Planorbis trivolvus</i>	334	<i>Pyramidula cronkhitei anthonyi</i> ,	322,
<i>Platypœcilus couchianus</i>	438		327
<i>maculatus</i>	438	<i>Pyrgocorypha uncinata</i>	108, 261
<i>tropicus</i>	393	<i>Radinotatum brevipenne brevi-</i>	
<i>Plectromyia</i>	541	<i>penne</i>	106, 153
<i>Pœcilia olivacea</i>	422	<i>Radiocentrum</i>	341, 343, 355
<i>tenuis</i>	393	<i>Rana cœruleopunctata</i>	396
<i>vivipara</i>	438	<i>Rapa</i>	465
<i>Pœciliinae</i>	416	<i>Rhabdomastix</i>	528
<i>Pœciliopsis isthmensis</i>	390	<i>caudata</i>	528, 529
<i>lutzi</i>	436, 437	<i>monticola</i>	528
<i>maculifer</i>	390	<i>Rhamdia montaguensis</i>	407
<i>occidentalis</i>	436	<i>Rhamphidia albitarsis</i>	497
<i>pleurospilus</i>	437	<i>flavipes</i>	497, 498
<i>presidionis</i>	409	<i>longirostris</i>	499
<i>retropinna</i>	407	<i>mainensis</i>	497, 498
<i>Pœcilochoa bilineata</i>	69	<i>Rhaphidolabina</i>	540
<i>Pollachius virens</i>	441	<i>flaveola</i>	541, 542
<i>Polydactylus virginicus</i>	399, 404	<i>Rhaphidolabis</i>	540
<i>Polymera geniculata</i>	535	<i>cayuga</i>	541, 542, 543
<i>georgiæ</i>	535	<i>modesta</i>	541, 542
<i>obscura</i>	535	<i>neomexicana</i>	541, 542
<i>Polypus kermadecensis</i>	47, 49	<i>polymeroides</i>	541, 542
<i>oliveri</i>	47, 49	<i>rubescens</i>	541, 542, 544
<i>sp.</i>	46, 47, 49	<i>tenuipes</i>	541, 542, 543
<i>Pomacanthus arcuatus</i>	405	<i>Rhinobatos percellens</i>	401
<i>zonipectus</i>	411	<i>Rhomboplites aurorubens</i>	402
<i>Pomadasis ramosus</i>	398, 402	<i>Rivulus micropus</i>	426
<i>Priapichthys annectens</i>	390	<i>Romalea marci</i>	193
<i>Procatopinae</i>	416	<i>microptera</i>	107, 193
<i>Procatopus</i>	416	<i>Rupiscartes atlanticus</i>	405
<i>Prolabia unidentata</i>	105, 113	<i>Rypticus arenatus</i>	402
<i>Prosopis aralis</i>	364	<i>nigripinnis</i>	410
<i>extensa</i>	364	<i>Saitis pulex</i>	83
<i>scintilliformis</i>	365	<i>Sarcocystis colli</i>	22, 379
<i>trimerops</i>	365	<i>muris</i>	2-43, 379, 381-384
<i>vittatifrons</i>	365		

<i>Sarcocystis tenella</i>	381, 382	<i>Tachisurus steindachneri</i>	408
<i>Sardinella humeralis</i>	397, 401	<i>Taonius</i>	64
<i>Sargana</i>	468	<i>abyssicola</i>	64
<i>Scapteriscus abbreviatus</i>	109, 279, 282	<i>Tarpon atlanticus</i>	401
<i>acletus</i>	109, 279	<i>Tautogolabrus adspersus</i>	441
<i>agassizii</i>	278	<i>Tetragnatha pallida</i>	78
<i>didactylus</i>	278, 279	<i>Tectaplica</i>	457
<i>mexicanus</i>	279	<i>simplica</i>	457
<i>vicinus</i>	109, 278-281	<i>Tetragnatha caudata</i>	78
<i>Schistocerca alutacea</i>	107, 197-203	<i>pallescens</i>	79
<i>americana</i>	204	<i>straminea</i>	78
<i>damnifica calidior</i>	107, 206	<i>vermiformis</i>	78
<i>d. damnifica</i>	107, 205, 206	<i>Tetrix polymorpha</i>	149, 150
<i>obscura</i>	107, 197-199, 202	<i>Tettigidea armata</i> , 106, 148, 149, 151,	
<i>rubiginosa</i>	197-203	<i>a. depressa</i>	151, 152
<i>serialis</i>	107, 204	<i>brevipenne peninsulare</i>	155
<i>Schizobasis</i>	468	<i>davisi</i>	152, 153
<i>depressa</i>	468, 469	<i>lateralis lateralis</i> , 106, 148-151, 153	
<i>Schizogyna gracilis</i>	81	<i>l. parvipennis</i>	150
<i>Scirtetica marmorata marmorata</i> ...	188	<i>l. polymorpha</i>	151
<i>m. picta</i>	107, 188	<i>medialis</i>	149, 151
<i>Scomberomorus cavalla</i>	398, 401	<i>parvipennis</i>	149
<i>Scorpaena mystes</i>	411	<i>p. pennata</i>	150
<i>Scudderella cuneata</i>	108, 254	<i>prorsa</i>	106, 147
<i>curvicauda curvicauda</i>	108, 254	<i>p. elongata</i>	147, 148
<i>c. laticauda</i>	108, 254	<i>spicata</i>	106, 148
<i>furcata furcata</i>	108, 254	<i>Tettix femoratus</i>	135-137, 145, 146
<i>texensis</i>	108, 254	<i>Teucholabis carolinensis</i>	497
<i>Seserinus paru</i>	402	<i>complexa</i>	498
<i>Singa maculata</i>	78	<i>lucida</i>	498
<i>truncata</i>	78	<i>Thais imbricata</i>	446, 451, 452, 453
<i>Sphærium pilsbryanum</i>	335	<i>lapillus</i>	440-454
<i>Spharagemon bolli</i>	107, 185	<i>Thargalia agilis</i>	69
<i>collare</i>	187	<i>bivittata</i>	69
<i>c. scudderi</i>	187	<i>crocata</i>	69
<i>c. wyomingianum</i>	107, 186, 187	<i>fallax</i>	69
<i>crepitans</i>	107, 184	<i>perplexa</i>	69
<i>cristatum</i>	187	<i>Thesprotia graminis</i>	106, 124
<i>saxatile planum</i>	192	<i>Thysanophora ingersolli</i>	327, 335
<i>Spheroides annulatus</i>	411	<i>Tipula cayuga</i>	545
<i>testudineus</i>	405	<i>Tmeticus bidentatum</i>	75
<i>Sphyræna barracuda</i>	401	<i>brunneus</i>	76, 77
<i>guachancho</i>	401	<i>debilis</i>	75
<i>Spiropalpus spiralis</i>	72	<i>distinctus</i>	75
<i>Spirula spirula</i>	47, 49	<i>flaveolus</i>	74
<i>Stagmomantis carolina</i>	106, 121	<i>gnavus</i>	75
<i>Stauroteuthis meangensis</i>	46, 48	<i>humilis</i>	74
<i>Steatoda guttata</i>	71	<i>luxuosus</i>	74
<i>marmorata</i>	71	<i>maculatus</i>	75
<i>triangulosa</i>	71	<i>minutus</i>	75
<i>Stemonyphantes bucculentus</i>	75	<i>mæstus</i>	75
<i>Stenacris vitreipennis</i>	107, 194	<i>obscurus</i>	74
<i>Sthenoteuthis bartramii</i>	46, 59	<i>pallidus</i>	74
<i>Stilpnochlora marginella</i>	108, 254	<i>palustris</i>	75
<i>Strongylocentrotus</i>	444	<i>plumosus</i>	74
<i>Succinea avara</i>	327, 336	<i>probatas</i>	75
<i>Symmetroleura modesta</i>	108, 255	<i>rusticus</i>	74
<i>Symplectoteuthis luminosa</i>	48, 60	<i>tridentatus</i>	72
<i>oualansiensis</i>	60, 60	<i>unicorn</i>	74
<i>Synogeles picata</i>	83	<i>trilobatus</i>	74
<i>Syrbula admirabilis</i>	106, 156		

Toxorhina magna.....	498	Vallonia cyclophorella.....	336
muliebris.....	498	gracilicosta.....	338
Trachinotus argenteus.....	398	Velutina.....	378
glaucus.....	398	Verrilliteuthis.....	48, 64
Tricyphona.....	536	Vitrea indentata umbilicata.....	322
auripennis.....	537	Vitrina alaskana.....	322, 327, 337, 338
calcar.....	536	Voluta canalifera.....	459
hyperborea.....	537	lativittata.....	459
inconstans.....	536, 537	Vomer setapinnis.....	398, 401, 409
katahdin.....	537	Vostox brunneipennis.....	105, 112
paludicola.....	538, 539	Xenichthys xanti.....	410
vernalis.....	537, 539	Xenisma.....	422
Tridactylus apicalis.....	109, 283	stellifera.....	422, 422
fissipes.....	283	Xiphophorus helleri.....	438
histrio.....	284	Xya mixta.....	283
histrionicus.....	284	Xysticus brunneus.....	79
illinoiensis.....	283	crudelis.....	79
incertus.....	283	distinctus.....	79
terminalis.....	283	feroculus.....	79
tibialis.....	283	formosus.....	79
Trimerotropis acta.....	192	gulosus.....	79
citrina.....	107, 190-192	lentus.....	79
cyaneipennis.....	193	limbatus.....	79
maritima.....	107, 190, 192	luctans.....	79
saxatilis.....	107, 192	maculatus.....	79
Trimicra empedoides.....	508, 508	nervosus.....	79
Trochosa rubicunda.....	81	quadrilineatus.....	79
Tryxalis brevicornis.....	106, 155	stomachosus.....	79
Tryxalis brevicornis.....	106, 155	transversus.....	79
Turbo cornutus.....	468	triguttatus.....	79
Tylosurus scapularis.....	409	Zygonectes.....	421, 422, 425
pygmæa.....	415	brachypterus.....	432, 433
Umbrina coroides.....	404	Zelotes blanda.....	69
Upeneus grandisquamis.....	410	rufula.....	68
Urceolabrum.....	469	Zonitoides arborea.....	322
tuberculatum.....	469, 470		

GENERAL INDEX.

1916.

- Additions to the Museum, 630
- Alexander, Charles P. New or little-known crane-flies from the United States and Canada: Tipulidæ, Ptychopteridæ, Diptera. Part 3 (Plates XXV-XXXI), 486, 609.
- Attachées, 629.
- Banks, Nathan. Revision of Cayuga Lake spiders (Plates X, XI), 1, 68.
- Barber, Edwin A., announcement of death of.
- Barringer, D. M. A possible partial explanation of the visibility and brilliancy of comets, with addendum by Elihu Thomson, 472, 609. See Magie, W. P.,
- Berry, S. Stillman. Cephalopoda of the Kermadec Islands (Plates VI, VII, VIII, IX), 45.
- Biddle, Alexander W., M.D., announcement of death of, 609.
- Biological and Microscopical Section, report of, 625.
- Borden, Edward P., announcement of death of, 610.
- Botanical Section, report of, 626.
- Boyer, Charles S. Report of Biological and Microscopical Section, 625.
- Brown, Alexander, announcement of death of, 609.
- Caziot, E. Third synonymic study of the mollusks of the Department of Alpes-Maritimes mentioned by Antoine Risso, with notes on their classification. Translated by William H. Dall, 610.
- Chauncey, Charles, announcement of death of, 85.
- Cockerell, T. D. A. Some bees from Australia, Tasmania, and New Hebrides, 67, 360.
- Colton, Harold S. On some varieties of *Thais lapillus* in the Mount Desert Region. A study of individual ecology, 440, 609.
- Conklin, Edwin G. A trip to New Zealand and Australia (no abstract), 67.
- Corresponding Secretary, report of, 613.
- Council for 1917, 628.
- Coxe, Eckley B., announcement of death of, 609.
- Crawley, Howard. The sexual evolution of *Sarcocystis muris* (Plates I, II, III, IV), 2. The zoological position of the Sarcosporidia, 379, 609.
- Cresson, Ezra T., Jr. Report of Entomological Section, 626.
- Curators, report of, 618.
- Dall, William H. A new species of *Onchidiopsis* from Bering Sea, 67, 370. See Caziot, E.
- Daniels, L. E. See Henderson, Junius.
- Dixon, Samuel G. Report of Curators, 625.
- Downs, Norton, announcement of death of, 85.
- Dunn, E. M. See Fowler, H. W.
- Elections in 1916, 629.
- Elliot, Daniel Giraud, announcement of death of, 1.
- Ely, Theodore N., announcement of death of, 609.
- Entomological Section, report of, 626.
- Fowler, Henry W. Cold-blooded vertebrates from Costa Rica and the Canal Zone, 389, 609. Notes on fishes of the order Haplomi and Microcyprini, 415, 609.
- Fowler, Henry W., and Emmett Reid Dunn. Notes on salamanders, 610.
- Guppy, R. J. L., announcement of death of, 609.
- Heath, Harold. The nervous system of *Crepidula adunca* and its development, 479, 609.
- Hebard, Morgan. See Rehn, J. A. G.
- Henderson, Junius, and L. E. Daniels. Hunting Mollusca in Utah and Idaho (Plates XV, XVI, XVII, XVIII), 44, 315.
- Hubbs, Carl L. The flounders of the genus *Hippoglossoides*, 609.
- Index to Genera, etc., 639.

- Jacobs, Merkel H. Temperature and the activities of animals, 85.
- Keeley, F. J. Report of Curator of William S. Vaux Collections, 625.
- Lauder-Brunton, Thomas, announcement of death of, 609.
- Librarian, report of, 614.
- Lyman, Benj. Smith. Report of Mineralogical and Geological Section, 627.
- Magie, William P., and Daniel Moreau Barringer. Meteor Crater of Arizona (no abstract), 1.
- Mearns, Edgar A., U. S. A., announcement of death of, 609.
- Metschnikoff, Elias, announcement of death of, 609.
- Mineralogical and Geological Section, report of, 627.
- Moore, Clarence B. Some aboriginal sites on Green River, Kentucky (for the JOURNAL), 609.
- Moore, J. Percy. Report of Corresponding Secretary, 613.
- Nolan, Edward J. Report of Recording Secretary, 611. Report of Librarian, 614.
- Officers, Councillors, and Finance Committee, 628.
- Ornithological Section, report of, 627.
- Physick, Emlen, announcement of death of, 85.
- Pilsbry, Henry A. Notes on the anatomy of *Oreohelix*, with catalogue of species (Plates XIX, XX, XXI, XXII), 44, 340. Report of Curators, 625.
- Recording Secretary, report of, 611.
- Rehn, James A. G., and Morgan Hebard. Studies in the Dermaptera and Orthoptera of the Coastal Plains and Piedmont Region of the southeastern United States (Plates XII, XIII, XIV), 1, 87.
- Report of Biological and Microscopical Section, 625.
- Report of Botanical Section, 626.
- Report of Corresponding Secretary, 613.
- Report of Curator of William S. Vaux Collections, 625.
- Report of Curators, 618.
- Report of Entomological Section, 626.
- Report of Librarian, 614.
- Report of Mineralogical and Geological Section, 627.
- Report of Ornithological Section, 627.
- Report of the Recording Secretary, 611.
- Reports of Sections, 625.
- Rhoads, Joseph R., announcement of death of, 44.
- Sections, reports of, 625.
- Shufeldt, R. W. Fossil birds' eggs, 1.
- Skinner, Henry. A collecting tour in eastern Cuba (no abstract), 610.
- Smith, Benjamin H. Report of Botanical Section, 626.
- Smith, Edgar A., announcement of death of, 609.
- Sonneberg, Walter. Evidence of a saturation point in evolution, 67.
- Standing Committees, 1917, 629.
- Stone, Witmer. Western birds and their haunts (no abstract), 44. Report of Curators, 625. Report of Ornithological Section, 628.
- Tannreuther, George W. The germ layers of *Bdellodrilus*, 67.
- Thomson, Elihu. See Barringer, D. M.
- Thomson, John, announcement of death of, 67.
- Thomson, Joseph C. Contributions to the anatomy of *Python reticulatus* (Schneider), 85.
- Tucker, Henry. Report of Curators, 625.
- Uhle, Alexander, M.D., announcement of death of, 609.
- Viereck, Henry L. New species of North American bees of the genus *Andrena* from west of the 100th meridian contained in the collections of The Academy of Natural Sciences of Philadelphia, 550, 609.
- Wade, Bruce. New genera and species of Gastropoda from the Upper Cretaceous (Plates XXIII, XXIV), 455, 609.
- William S. Vaux Collections, report on, 625.